

EAST - [10075464.wsp:1]					
File View Edit Tools Window Help					
DRAFTS					
	Hit	Search Text	DBs	Time Stamp	
Drafts	1	3 (two with series with soi) and (365/\$3.cor.)	USPAT; US-PGP	2003/09/10	
Pending	2	2 (pair with series with soi) and (365/\$3.cor.)	USPAT; US-PGP	2003/09/10	
Active	3	1 ((pair with series with (w\$1l or (w adj l) or (word adj line) or word\$1line) with "or") same (memory or cell))	USPAT; US-PGP	2003/09/10	
Failed	4	0 ((pair with series with (w\$1l or (w adj l) or (word adj line) or word\$1line) with gate with "same conductivity") and (memory.	USPAT; US-PGP	2003/09/10	
Saved	5	29 ((pair with series with (w\$1l or (w adj l) or (word adj line) or word\$1line) with gate not complementary) and (memory.ab.)	USPAT; US-PGP	2003/09/10	
Favorites	6	20 ((pair with series with (w\$1l or (w adj l) or (word adj line) or word\$1line) with gate not complementary) and (365/\$3.cor.)	USPAT; US-PGP	2003/09/10	
Tagged (7	9 (pair with (n\$1channel or (n adj channel)) with (w\$1l or (w adj l) or (word adj line) or word\$1line) not (p\$1channel or (p adj	USPAT; US-PGP	2003/09/10	
UDC	8	5 (pair with (n\$1mos or (n adj mos)) with (w\$1l or (w adj l) or (word adj line) or word\$1line) not (p\$1mos or (p adj mos))) a	USPAT; US-PGP	2003/09/10	
Queue	9	3 ((pair with (n\$1mos or (n adj mos)) with (w\$1l or (w adj l) or (word adj line) or word\$1line) not (p\$1mos or (p adj mos)))	USPAT; US-PGP	2003/09/10	
Trash	10	8 (pair with (n\$1mos or (n adj mos)) with (w\$1l or (w adj l) or (word adj line) or word\$1line) not (p\$1mos or (p adj mos))) a	USPAT; US-PGP	2003/09/10	
	11	10 (pair with (shared adj (source or drain or "s/d")) with (w\$1l or (w adj l) or (word adj line) or word\$1line)) and memory	USPAT; US-PGP	2003/09/10	
	12	0 (inverse with (shared adj (source or drain or "s/d")) with (w\$1l or (w adj l) or (word adj line) or word\$1line)) and memory	USPAT; US-PGP	2003/09/10	
	13	0 ((shared adj (source or drain or "s/d")) with (/w\$1l or (/w adj l) or (/word adj line) or (/word\$1line)) and memory	USPAT; US-PGP	2003/09/10	
	14	4 (/w\$1l or (/w adj l)) and memory	USPAT; US-PGP	2003/09/10	
	15	3 ("w/l" or ("w/l")) and memory	USPAT; US-PGP	2003/09/10	
	16	4 ("w\$1l or ("w adj l)) and memory	USPAT; US-PGP	2003/09/10	
	17	4 ("w\$1l or "w/l") and memory	USPAT; US-PGP	2003/09/10	
	18	3 "w/l" and memory	USPAT; US-PGP	2003/09/10	
	19	12 "w/l"	USPAT; US-PGP	2003/09/10	
	20	12 "w/l"	USPAT; US-PGP	2003/09/10	
	21	2 "w/l" and ((257/\$3.cor.))	USPAT; US-PGP	2003/09/10	
	22	2 "w/l" and (257/\$3.cor.)	USPAT; US-PGP	2003/09/10	
	23	0 "w/l" and (257/\$3.cor.)	USPAT; US-PGP	2003/09/10	
	24	9 "4064494"	USPAT; US-PGP	2003/09/10	
	25	1 "3936811" PN.	USPAT	2003/09/10	
	26	1 "3705390" PN.	USPAT	2003/09/10	
	27	13 ((pair with inverse with (w\$1l or (w adj l) or (word adj line) or word\$1line)) same (memory or cell))	USPAT; US-PGP	2003/09/10	
	28	2 ((pair with inverse with (w\$1l or (w adj l) or (word adj line) or word\$1line)) and memory) not ((pair with inverse with (w\$1	USPAT; US-PGP	2003/09/10	
	29	15 (pair with inverse with (w\$1l or (w adj l) or (word adj line) or word\$1line)) and memory	USPAT; US-PGP	2003/09/10	
	30	0 (pair with inverse with soi) and memory	USPAT; US-PGP	2003/09/10	
	31	1 (pair with soi with nmos not pmos) and memory	USPAT; US-PGP	2003/09/10	
	32	1 (pair with soi with n\$1mos not p\$1mos) and memory	USPAT; US-PGP	2003/09/10	
	33	7 (pair with nmos with inverse) and memory	USPAT; US-PGP	2003/09/10	
	34	1 "5801551"	USPAT; US-PGP	2003/09/10	
	35	0 (pair with nmos with inverse with (w\$1l or (w adj l) or (word adj line) or word\$1line))	USPAT; US-PGP	2003/09/10	
	36	8 (pair with nmos with (w\$1l or (w adj l) or (word adj line) or word\$1line) not pmos)	USPAT; US-PGP	2003/09/10	
	37	1 (nmos with ((w\$1l or (w adj l) or (word adj line) or word\$1line) adj pair)not pmos)	USPAT; US-PGP	2003/09/10	
	38	0 ((n adj channel) with ((w\$1l or (w adj l) or (word adj line) or word\$1line) adj pair) not (p adj channel))	USPAT; US-PGP	2003/09/10	
	39	0 ((n\$1channel) with ((w\$1l or (w adj l) or (word adj line) or word\$1line) adj pair) not (p\$1channel))	USPAT; US-PGP	2003/09/10	
	40	1 ((n\$1type) with ((w\$1l or (w adj l) or (word adj line) or word\$1line) adj pair) not (p\$1type))	USPAT; US-PGP	2003/09/10	
	41	0 ((n\$1type) with (w\$1l or (w adj l) or (word adj line) or word\$1line) with pair with inverse not (p\$1type))	USPAT; US-PGP	2003/09/10	
	42	0 ((n adj type) with ((w\$1l or (w adj l) or (word adj line) or word\$1line) with pair with inverse not (p adj type))	USPAT; US-PGP	2003/09/10	
SEARCH RESULTS					
Time	File	Search Text	DBs	Time Stamp	Comments
10:00	10075464.wsp				

EAST - [10075464.wsp:1]									
File View Edit Tools Window Help									
<div><div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div><div></div></div></div>									
		Hit	Search Text	DBs	Time Stamp				
Drafts									
Pending	42	0	((n adj type) with (w\$11 or (w adj l) or (word adj line) or word\$1line) with pair with inverse not (p adj type))	USPAT: US-PGP	2003/09/10				
Active	43	0	((n adj channel) with (w\$11 or (w adj l) or (word adj line) or word\$1line) with pair with inverse not (p adj channel))	USPAT: US-PGP	2003/09/10				
Failed	44	0	((b\$11 or (b adj l) or (bit adj line) or bit\$1line) with (w\$11 or (w adj l) or (word adj line) or word\$1line) with ((push adj pull)	USPAT: US-PGP	2003/09/10				
Saved	45	0	((b\$11 or (b adj l) or (bit adj line) or bit\$1line) with (w\$11 or (w adj l) or (word adj line) or word\$1line) with ((push adj pull)	USPAT: US-PGP	2003/09/10				
Favorites	46	20	((b\$11 or (b adj l) or (bit adj line) or bit\$1line) with (w\$11 or (w adj l) or (word adj line) or word\$1line) with ((push adj pull)	USPAT: US-PGP	2003/09/10				
Tagged (47	27	((memory or unit) adj cell) with ((push adj pull) or push\$1pull)) and memory	USPAT: US-PGP	2003/09/10				
UDC	48	25	((((memory or unit) adj cell) with ((push adj pull) or push\$1pull)) and memory) not (((b\$11 or (b adj l) or (bit adj line) or bi	USPAT: US-PGP	2003/09/10				
Queue	49	1	"5550771".PN.	USPAT	2003/09/10				
Trash	50	0	(memory and ((push adj pull) or push\$1pull).ti.) and (365/\$3.cor.)	USPAT: US-PGP	2003/09/10				
	51	20	((push adj pull) or push\$1pull).ab.) and (365/\$3.cor.)	USPAT: US-PGP	2003/09/10				
	52	0	((push adj pull) or push\$1pull).ti.) and (365/\$3.cor.)	USPAT: US-PGP	2003/09/10				
	53	1	"5683934".PN.	USPAT	2003/09/10				
	54	1	"5726459".PN.	USPAT	2003/09/10				
	55	1	"5895956".PN.	USPAT	2003/09/10				
	56	1	"6130461".PN.	USPAT	2003/09/10				
	57	1	"6285073".PN.	USPAT	2003/09/10				
	58	1	"6285073".PN.	USPAT	2003/09/10				
	59	8	"5895956" or "6285073"	USPAT: US-PGP	2003/09/10				
	60	7	"5895956" or "6285073"	USPAT: US-PGP	2003/09/10				
	61	0	("5895956" or "6285073" or "6130461").pn. and inverse	USPAT: US-PGP	2003/09/10				
	62	1	"5001528".PN.	USPAT	2003/09/10				
	63	1	"5298773".PN.	USPAT	2003/09/10				
	64	11	"5298773"	USPAT: US-PGP	2003/09/10				
	65	0	((pair with series).ti.) and (365/\$3.cor.)	USPAT: US-PGP	2003/09/10				
	66	2	("5895956" or "6285073" or "6130461").pn. and (word\$1line or (word adj line))	USPAT: US-PGP	2003/09/10				
	67	1	("5895956" or "6285073" or "6130461").pn. and (gate with opposite)	USPAT: US-PGP	2003/09/10				
	68	7	"4203159"	USPAT: US-PGP	2003/09/10				
	69	1	"4800530".PN.	USPAT	2003/09/10				
	70	1	"5007022".PN.	USPAT	2003/09/10				
	71	1	"5010519".PN.	USPAT	2003/09/10				
	72	1	"5323350".PN.	USPAT	2003/09/10				
	73	1	"5442588".PN.	USPAT	2003/09/10				
	74	1	"5007022".PN.	USPAT	2003/09/11				
	75	1	"5010519".PN.	USPAT	2003/09/11				
	76	1	"5327375".PN.	USPAT	2003/09/11				
	77	1	"4300212".PN.	USPAT	2003/09/11				
	78	1	"4612629".PN.	USPAT	2003/09/11				
	79	1	"4650544".PN.	USPAT	2003/09/11				
	80	1	"4651184".PN.	USPAT	2003/09/11				
	81	1	"4752819".PN.	USPAT	2003/09/11				
	82	1	"4792834".PN.	USPAT	2003/09/11				
	83	1	"4707710".PN.	USPAT	2003/09/11				
<div><div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div><div></div></div></div>									
Time	File	Search Text	DBs	Time Stamp	Comments	Error Defined	Error		
Ready									

EAST - [10075464.wsp:1]									
File View Edit Tools Window Help									
<div> <div> <div>Drafts</div> <div>Pending</div> <div>Active</div> <div>Failed</div> <div>Saved</div> <div>Favorites</div> <div>Tagged</div> <div>UDC</div> <div>Queue</div> <div>Trash</div> </div> <div> <div>Hit</div> <div>Search Text</div> <div>DBs</div> <div>Time Stamp</div> </div> </div>									
	124	1	"20020006050"						
	125	13	((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)).ti.) and (365/\$3.cor.)		USPAT: US-PGP			2003/09/11	
	126	1	"5060194".PN.		USPAT: US-PGP			2003/09/11	
	127	1	"5422841".PN.		USPAT			2003/09/11	
	128	23	"5594683"		USPAT: US-PGP			2003/09/11	
	129	3	365/189.05.cor. and ((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)).ab.)		USPAT: US-PGP			2003/09/11	
	130	8	"4193125"		USPAT: US-PGP			2003/09/11	
	131	5	365/174.177,182.cor. and ((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)).ab.)		USPAT: US-PGP			2003/09/11	
	132	2	((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with inverse (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	133	1	((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with inverse (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	134	1	(pair with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with inverse with (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	135	1	((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with inverse with (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	136	0	((two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with inverse with (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	137	0	(pair with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with inverse with (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	138	0	(pair with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with inverse with (w\$1l or (w adj l) or (word adj line		USPAT: US-PGP			2003/09/11	
	139	6	((transistor or mosfet or misfet or fet or (field adj effect) or igfet) with inverse with (w\$1l or (w adj l) or (word adj line) or		USPAT: US-PGP			2003/09/11	
	140	0	((series or serially) with pair with complementary with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) wi		USPAT: US-PGP			2003/09/11	
	141	0	((series or serially) with pair with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with inverse with (w\$1		USPAT: US-PGP			2003/09/11	
	142	1	((series or serially) with pair with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with inverse with (w\$1		USPAT: US-PGP			2003/09/11	
	143	1	((series or serially) with (two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with inverse with (w\$1		USPAT: US-PGP			2003/09/11	
	144	1	((series or serially) with (two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with complementary wi		USPAT: US-PGP			2003/09/11	
	145	13	((series or serially) with (two adj (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with complementary)		USPAT: US-PGP			2003/09/11	
	146	5	((series or serially) with cell with ((transistor or mosfet or misfet or fet or (field adj effect) or igfet) adj pair) with complem		USPAT: US-PGP			2003/09/11	
	147	8	((series or serially) with cell with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with (pair adj comple		USPAT: US-PGP			2003/09/11	
	148	13	((US-4064494-\$ or US-5895956-\$ or US-6130461-\$ or US-5051949-\$ or US-5010519-\$ or US-4193125-\$ or US-5856940-		USPAT: US-PGP			2003/09/17	
	149	1	5895956.PN. and word		USPAT: US-PGP			2003/09/17	
	150	6	((US-4064494-\$ or US-5895956-\$ or US-6130461-\$ or US-5051949-\$ or US-5010519-\$ or US-4193125-\$ or US-5856940-		USPAT: US-PGP			2003/09/17	
	151	0	5895956.PN. and word\$1line		USPAT: US-PGP			2003/09/17	
	152	2	((US-4064494-\$ or US-5895956-\$ or US-6130461-\$ or US-5051949-\$ or US-5010519-\$ or US-4193125-\$ or US-5856940-		USPAT: US-PGP			2003/09/17	
	153	8	((series or serially) with cell with (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with (pair adj (nmos or		USPAT: US-PGP			2003/09/17	
	154	21	((series or serially) with (two near2 (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with (ground or gnd		USPAT: US-PGP			2003/09/17	
	155	9	((series or serially) with (two near2 (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with (ground or gnd		USPAT: US-PGP			2003/09/17	
	156	9	((series or serially) with (pair near2 (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with (ground or gnd		USPAT: US-PGP			2003/09/17	
	157	8	((series or serially) with (pair near2 (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with (ground or gnd		USPAT: US-PGP			2003/09/20	
	158	0	((series or serially) with (pair near2 (transistor or mosfet or misfet or fet or (field adj effect) or igfet)) with (ground or gnd		USPAT: US-PGP			2003/09/20	
	159	5	((pair near2 (transistor or mosfet or misfet or fet or (field adj effect) or igfet) with (ground or gnd or potential or vcc or vs		USPAT: US-PGP			2003/09/20	
	160	0	365/177.cor. and (pair.ti.)		USPAT: US-PGP			2003/09/20	
	161	7	365/177.cor. and (pair.ab.)		USPAT: US-PGP			2003/09/20	
	162	4	365/177.cor. and (series.ab.)		USPAT: US-PGP			2003/09/20	
	163	0	365/177.cor. and (inverter.ab.)		USPAT: US-PGP			2003/09/20	
	164	1	365/177.cor. and (inverter.ab.)		USPAT: US-PGP			2003/09/20	
	165	5	365/177.cor. and (pair with series)		USPAT: US-PGP			2003/09/20	
<div> <div> <div>Thumbnail view</div> <div>Compare view</div> <div>Full view</div> <div>Full text</div> <div>Full</div> <div>Details</div> <div>Image</div> <div>Text</div> <div>Source</div> </div> </div>									
Time	File	Search Text	DBs	Time Stamp	Comments	Error Detail	Error		
Ready									

[illegible]

.....

* Struck from	* Surface book	* BLD form	* GLE app	/ Yes	B-STATS	7/2nd	2019
---------------	----------------	------------	-----------	-------	---------	-------	------

F-100 SEC 1.4(a) sec. (f)(1)-(d)